FOR OFFICIAL USE ONLY

DECK LOG—TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK LOG BOOK

OF THE

U.S.S. ABNAKI

ATF-96
IDENTIFICATION NUMBER

COMMANDED BY

S. J. SOWINSKI LT, U. S. N.

Attached to ____ Division,
____ Squadron,
____ Flotilla,
U.S. PACIFIC FLEET Fleet,
____ Naval District,

Commencing 0001 1 OCTOBER (zone time and date), 1961,

at U.S. NAVAL SUBMARINE BASE, PEARL HARBOR HAWAII, (location),

and ending 2400 31 OCTOBER (zone time and date), 1961,

at U.S. NAVAL STATION PEARL HARBOR, HAWAII (location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63074

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____

_____ (Day) _____ (Date) _____ (Month), 19__

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SUNDAY (Day) 1 (Date) OCTOBER (Month), 19 61

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE FLEET WEATHER CENTRAL												
07													
08													
09													
10	PEARL HARBOR, HAWAII												
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
55

REMARKS

00-04 Moored port side to berth Sierra Seventeen (S-17) U.S. Naval Submarine Base, Pearl Harbor Hawaii with four(4) standard mooring lines doubled up. Receiving utilities services from the pier. Ships present include various units of the U.S. Pacific Fleet plus yard and district craft. SOPA is CINCPACFLT.

E.B. Masch LTJG USNR

04-08 Moored as before.

E.B. Masch LTJG USNR

APPROVED:

E.B. Masch LT JG U.S.N. COMMANDING ACTING

EXAMINED:

E.B. Masch LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 1 (Date) OCTOBER (Month), 19 61

08-12 Moored as before. 0800 Mustered the duty section on station; absentees: none. 0900 Made daily inspection of magazines and smokeless powder samples; conditions: normal.

J. J. Lupp, CWO, USN

12-16 Moored as before.

J. J. Lupp, CWO, USN

16-20 Moored as before. 1800 Set material condition "Yoke". 1830 Mustered duty fire party.

J. J. Lupp, CWO, USN

20-24 Moored as before.

J. J. Lupp, CWO, USN.

APPROVED: E. B. Masch LTJG U. S. N. COMMANDING ACTING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF96) ZONE DESCRIPTION +10 DATE MONDAY (Day) 2 (Date) OCTOBER (Month), 19 64

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE		FLEET		WEATHER					CENTRAL			
07													
08													
09													
10	PEARL		HARBOR		HAWAII								
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

2

FUEL CONSUMED 0000-2400

530

REMARKS

00-04 Moored portside to berth Sierra Seventeen (S-17) U.S. Naval Submarine Base Pearl Harbor Hawaii with four (4) standard mooring lines double-d up. Receiving muscall and other services from the pier. Ships present includes various ships and units of the U.S. Pacific Fleet, yard and district craft. COPA is Commander in Chief U.S. Pacific Fleet.

J. J. Stupp, CWO, USN

04-08 Moored as before. 0750 Mustered the crew at quarters for muster and inspection; absentees; none.

J. J. Stupp, CWO, USN

APPROVED: E.B. Masch LTJG U.S.N. COMMANDING ACTING

EXAMINED: E.B. Masch LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY 2nd OCTOBER 19 61
(Day) (Date) (Month)

ØØ-12: MOORED AS BEFORE. Ø8Ø5 COMMENCED MAKING PREPARATIONS FOR GETTING UNDERWAY. Ø845 SET THE SPECIAL SEA AND ANCHOR DETAIL. Ø855 COMPLETED PREPARATIONS FOR GETTING UNDERWAY. Ø859 UNDERWAY FROM BERTH SIERRA-SEVENTEEN (S-17), LT(jg) MASCH WAS THE CONN, THE CAPTAIN IS ON THE BRIDGE. STEERING VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 1ØØØ MOORED PORT SIDE TO BERTH ALFA-TWO (A-2), U.S. NAVAL BASE, PEARL HARBOR, HAWAII, WITH FOUR (4) STANDARD MOORING LINES DOUBLED UP. 1Ø16: SECURED THE SPECIAL SEA AND ANCHOR DETAIL. DRAFT FORWARD 13'7", AFT 16'6". 1Ø4Ø MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL.

H R SWAN, ENS, USNR

~~12~~-16: MOORED AS BEFORE. ~~1430~~ 1430 RETURNED COMMANDING OFFICER FROM TAD HOSPITAL LEAVE AND RESUMED ALL DUTIES.

H R SWAN, ENS, USNR

16-2Ø: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

H R SWAN, ENS, USNR

2Ø-24: MOORED AS BEFORE.

H R SWAN, ENS, USNR

APPROVED: EXAMINED:

[signature] LT U. S. N. COMMANDING E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE TUESDAY (Day) 3 (Date) OCTOBER (Month), 19 61

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE FLEET WEATHER CENTRAL												
07													
08													
09													
10	PEARL HARBOR, HAWAII												
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

(LW) ~~0000~~ 0

FUEL CONSUMED 0000-2400

329

REMARKS

00-04: MOORED PORT SIDE TO BERTH ALFA-TWO (A-2), U.S. NAVAL BASE, PEARL HARBOR, HAWAII WITH FOUR (4) STANDARD MOORING LINES DOUBLED-UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS SHIPS AND UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMMANDER-IN-CHIEF, U.S. PACIFIC FLEET.

W. Swan, ENS, USNR

04-08: MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS FOR INSPECTION AND INSTRUCTIONS; ABSENTEES NONE.

W. Swan, ENS USNR

APPROVED: CT, U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 3 (Date) OCTOBER (Month), 19 61

08-12. Moored as before 0918. Made daily inspection of magazine temperature and sprinkler system. Temperature and condition normal. 1000. The Commanding Officer held mast and imposed non-judicial punishment as follows. MELTON THOMAS. G FR2 496-17-49 USN. violation of UCMJ article 134. Punishment: Case dismissed with warning

J. A. Hoffey Cwo USN

12-16. Moored as before. 1350. Tenis Hosed along side to starboard.

J. A. Hoffey Cwo USN.

16-20 Moored as before. 1800 Condition Yoke set secured deck and below. 1834 Mustered duty fire party.

J. A. Hoffey Cwo USN.

20-24. Moored as before.

J. A. Hoffey Cwo USN.

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. Mash LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE WEDNESDAY (Day) 4 (Date) OCTOBER (Month), 19 61

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE FLEET WEATHER CENTRAL												
07													
08													
09													
10													
11	PEARL HARBOR HAWAII												
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
102

FUEL CONSUMED 0000-2400
779

REMARKS

00-04 Moored Port side to Berth Alfa two (17-2) U.S. Naval Base, Pearl Harbor, Hawaii with four (4) standard mooring lines doubled up. Receiving miscellaneous service from the pier. Ships present include various units of the U.S. Pacific Fleet yard and district craft. SOPA is Commander Sub Chief, U.S. Pacific Fleet

J.E. Hoffey CWO USN

04-08. Moored as before 0750 Mustered Crew at Quarters for muster and inspection, absentees none.

J.E. Hoffey CWO U.S.N.

APPROVED: [signature] LT, U.S.N. COMMANDING

EXAMINED: E.B. Masch LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP AB NAKI (ATF-96) WEDNESDAY (Day) 4 (Date) OCTOBER (Month) 19 61

08-12 Moored as before. 0817 Set the special sea and anchor detail. 0825 Made daily inspection of magazine temperatures and smakeless powder samples, condations normal. 0828 Underway from berth alfa two (A-2) for OPAREA with series forty (40) sled in tow, Captain has the Comm, Navigator is on the bridge. 0836 Making various courses and speeds to conform with Pearl Harbor Channel. 0838 Commened streaming the target. 0854 Passed buoy One abeam to starboard, approimately 75 yards. 0856 Streamed the target to 600 feet, towing normally. 0859 C/c to 160°T. 0909 Secured the special sea and anchor detail. 0910 C/s to 11.3 knots (90 RPM). 0917 C/c to 210°T. 1147 C/c to 265°T.

E.B. Masch LTJG USNR

12-16 Underway as before. 1253 C/s to 5.0 knots (38 RPM). 1303 C/c to 090°T. 1430 C/c to 070°T. 1503 C/s to 10.8 knots (85 RPM). 1541 C/c to 032°T.

E.B. Masch LTJG USNR

16-20 Underway as before. 1628 C/c to 042°T. 1740 Set the special sea and anchor detail, captain has the conn, Navigator is on the bridge. 1749 Making various courses and speeds to conform with Pearl Harbor Channel and to make berth. 1758 Commened heaving in tow to 400 feet. 1805 Passed buoy One (1) to port, distance approximately 100 yards. 1814 Heaved in the tow to 50 feet. 1818 Heaved in the tow to 25 feet. 1829 Moored port side to berth alfa two (A-2) U.S. Naval Station Pearl Harbor Hawaii with four (4) standard mooring lines doubled up. 1831 Secured the special sea and anchor detail. 1835 U.S. Navy Tug (NS-15) come alongside to starboard to pick up tow. 1840 tow is clear (NS-15) proceeding in channel with series forty sled in tow.

E.B. Masch LTJG USNR

20-24 Moored as before.

E.B. Masch LTJG USNR

APPROVED: [signature] LT, U.S.N. COMMANDING

EXAMINED: E.B. Masch LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE THURSDAY (Day) 5 (Date) OCTOBER (Month), 19 61

AT/~~PASSAGE FROM~~ PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05	SEE		FLEET		WEATHER			CENTRAL					
06													
07													
08													
09	PEARL		HARBOR,		HAWAII								
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
60

FUEL CONSUMED 0000-2400
989

REMARKS

00-04 Moored portside to berth alfa Two (A-2) U.S. Naval Station Pearl Harbor Hawaii with four(4) standard mooring lines doubled up. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet plus yard and district craft. SOPA is CINCPACFLT.

E. B. Masch LTJG USNR

04-08 Moored as before. 0642 Received draft reading, draft fwd 13'6" Aft 16'6". 0719 Set special sea and anchor detail. 0729 Underway from berth Alfa Two (A-2) for local operations, captain has the conn, navigator is on the bridge, steering various courses and speeds to clear the channel. 0743 C/C to 153°T, C/S to 13.0 knots (107 RPM). 0747 Secured the special sea and anchor detail. 0751 Entered International waters. 0755 C/C to 105°T.

E. B. Masch LTJG USNR

APPROVED: LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF96) THURSDAY (Day) 5 (Date) OCTOBER (Month), 19 61

08-12 Underway as before. 0814 C/C to 104° 095° (PSTGC). 0830 C/C to 100°, 089° (PSTGC). 0837 Made daily inspection of magazines and smokeless powder and blue conduibus. Hoisted. 0845 C/C to 270° 256° (PSTGC). C/S to 5 knots. 0850 Steering various courses and speeds. Commenced exercise Z-10-CC with USS. Sumnadin (ATA 197). 0922 Completed exercise Z-10-CC. 0937 C/C to 090°, 080° (PSTGC). 0947 C/C to 260° 247° (PSTGC). Commenced exercise Z-7-C with USS Sumnadin (ATA 197). 1001 Completed exercise Z-7-C. C/S to 10 knots. 1003. Commenced exercise Z-13-C with USS Sumnadin (ATA 197). 1029 Completed exercise Z-13-C. 1033 C/C to 110° C/S to 8 knots. 1043 Commenced exercise Z-26-S with USS Sumnadin (ATA 197). Steering various courses and speeds. Captain has the Comd. 1100 Completed exercise Z-26-S. C/C to 300°. 1103 C/C to 325° 310° (PSTGC). 1129 OOD assumed the comd. C/C to 270°, 256° (PSTGC). C/S to 6.7 knots.

J. J. Stipp, CWO, USN

12-16 Underway as before. 1205 C/C to 090° 079° (PSTGC). 1237 C/C to 270°, 257° (PSTGC). 1243 C/S to 3.3 knots (25 RPMS). 1328 Commenced exercise Z-6-S with USS Sumnadin (ATA 197). Steering various courses and speeds. 1423 Captain assumed the comd. 1459 Completed exercise Z-6-S. 1502 Stationed the special sea and anchor detail. Captain has the comd. navigator on the bridge. 1504 C/C to 296° 283° (PSTGC). 1522 C/C to 333°, 316° (PSTGC). C/S to 12.3 knots (100 RPMS). 1523 Entered Inland waters. 1524 Commenced steering various courses and speeds to conform to Pearl Harbor Channel. 1531 Passed buoy 2 abeam to Starboard, distance approximately 50 yards. 1547 Moored Port side to, berth Alpha 6 (A-6) USS Canal (Tender), Pearl Harbor, Hawaii with four (4) Standard mooring lines. 1555 Secured the special sea and anchor detail.

J. J. Stipp, CWO, USN

16-20 Moored as before. 1800 to 1830 material condition Yoke. 1830 Instituted the duty fire party.

J. J. Stipp, CWO, USN

20-24 Moored as before.

J. J. Stipp, CWO, USN.

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF 96) ZONE DESCRIPTION +10 DATE FRIDAY (Day) 6 (Date) OCTOBER (Month), 19 61

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05		SEE		FLEET		WEATHER				CENTRAL			
06													
07													
08													
09		PEARL		HARBOR		HAWAII							
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
60

FUEL CONSUMED 0000-2400
568

REMARKS

00-04 Moored portside to berth Alpha two (A-2), U.S. Naval Station, Pearl Harbor, Hawaii with four (4) standard mooring lines doubled up. Receiving messenger and services from the pier. Ships present include various ships and units of the U.S. Pacific Fleet yard and district craft. COMFAIRPAC is Commander in Chief, U.S. Pacific Fleet.

J. J. Lupke, CWO, USN

04-08 Moored as before. 0745 commenced making preparations for getting underway. 0750 Mustered all hands on deck at quarters for muster and inspection; absentees; none.

J. J. Lupke, CWO, USN

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 6 (Date) OCTOBER (Month), 19 61

Ø8-12: MOORED AS BEFORE. Ø8Ø5 COMMENCED MAKING PREPARATIONS FOR GETTING UNDERWAY. Ø815 SET THE SPECIAL SEA AND ANCHOR DETAIL. Ø824 ALL STATIONS MANNED AND READY FOR GETTING UNDERWAY. DRAFT 13'8" FOREWARD, 16'6" AFT. Ø829 UNDERWAY FROM BERTH ALFA-TWO (A-2) FOR LOCAL OPERATING AREA. THE CAPTAIN HAS THE CONN. SCRIES FORTY (4Ø) SLED IN TOW. Ø83Ø MAKING VARIOUS COURSES AND SPEEDS TO CONFORM TO PEARL HARBOR CHANNEL. NUMBERS ONE (1), TWO (2), THREE (3), AND FOUR (4) MAIN GENERATORS IN THE LOOP. Ø85T PASSED BOUY ONE (1) ABEAM TO STARBOARD, DISTANCE 1ØØ YARDS. Ø9Ø4 TOOK MAIN GENERATOR NUMBER TWO (2) OUT OF THE LOOP. Ø91Ø SECURED THE SPECIAL SEA AND ANCHOR DETAIL. Ø912 ENTERED INTERNATIONAL WATERS STEERING 1CØ°T MAKING 9Ø RPM (11.3 KNOTS). Ø916 C/C TO 21Ø°T. Ø925 ENS SWAN RELIEVED THE CAPTAIN OF THE CONN. Ø95S MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. MADE WEEKLY INSPECTION OF MAGAZINE SPRINKLING SYSTEM; CONDITIONS NORMAL. 1114 C/C TO 225°T. 1133 CWO GRIPP RELIEVED ENS SWAN OF THE CONN. 1142 C/C TO 26Ø°T C/S TO 25 RPM (3.3 KNOTS) 1153 C/S TO 9Ø RPM (11.3 KNOTS) C/C TO 165°T.

H.R. Swan ENS, USNR.

12-16: UNDERWAY AS BEFORE. 1214 C/C TO 27Ø°T C/S TO 62 RPM (8 KNOTS) 1331 CWO HAFFEY RELIEVED CWO GRIPP OF THE CONN. 1338 COMMENCED PROVIDING TARGET AND RAKE SERVICES FOR USS TAKELMA (ATF-113) 1249 COMPLETED PROVIDING TARGET AND RAKE SERVICES FOR USS TAKELMA (ATF-113) 1319 C/C TO Ø77°T, 1324 C/S TO 9Ø RPM (11.3 KNOTS).

H.R. Swan, ENS, USNR.

16-2Ø: 1629 SET THE SPECIAL SEA AND ANCHOR DETAIL. 1633 CAPTAIN RELIEVED CWO HAFFEY OF THE CONN. 1635 C/C TO ØØØ°T 1644 C/C TO 34Ø°T C/S TO 6Ø RPM (7.7 KNOTS) 1642 MAKING VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 1645 PUT MAIN GENERATOR NUMBER TWO (2) IN THE LOOP. 17Ø2 PASSED BOUY NUMBER SIX (6) ABEAM TO STARBOARD, DISTANCE: 85 YARDS. 1712 MOORED PORTSIDE TO BERTH ALFA-TWO (A-2), U.S. NAVAL STATION, PEARL HARBOR, HAWAII, WITH FOUR (4) STANDARD MOORING LINES DOUBLED-UP. 1717 SECURED THE SPECIAL SEA AND ANCHOR DETAIL, SET REGULAR IN-PORT WATCH. 18ØØ SET MATERIAL CONDITION YOKE. 181Ø SECURED GYRO COMPASS.

H.R. Swan, ENS, USNR.

2Ø-24: MOORED AS BEFORE.

H.R. Swan, ENS, USNR.

APPROVED: LT, U.S.N. COMMANDING

EXAMINED: E. B. Masch LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

@

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SATURDAY 7 OCTOBER, 19 61
(Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE		FLEET		WEATHER			CENTRAL					
07													
08													
09	PEARL		HARBOR		HAWAII								
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
210

REMARKS

00-04: MOORED PORT SIDE TO BERTH ALFA-TWO (A-2), U.S. NAVAL BASE, ~~NAS~~ PEARL HARBOR, HAWAII WITH FOUR (4) STANDARD MOORING LINES DOUBLED-UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS SHIPS AND UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMMANDER-IN-CHIEF, U.S. PACIFIC FLEET.

H.K. Swan, ENS, USNR

04-08: MOORED AS BEFORE.

H.K. Swan, ENS, USNR

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 7 (Date) OCTOBER (Month), 19 61

0 8-12. Moored as before. 0800 Mustered all duty sections on station absentee none. 0925 Held daily inspection of magazine temperature and humidity sprinkler system, condition normal.

J. A. Hopkey CWO USN.

12-16. Moored as before.

J. A. Hopkey CWO USN

16-20 Moored as before 1800 Set Material Condition Yoke. Secured all hands and below.

J. A. Hopkey CWO USN

20-24. Moored as before.

J. A. Hopkey CWO USN.

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SUNDAY (Day) 8 (Date) OCTOBER (Month), 19 61

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE FLEET WEATHER CENTRAL												
07													
08													
09													
10	PEARL HARBOR, HAWAII												
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 165

REMARKS

00-04 Moored Port side to Berth Alfa two (2-2) U.S. Naval Base Pearl Harbor, Hawaii. with four (4) 2 standard mooring lines doubled up. Receiving miscellaneous service from dk pier. Ships present includes Various units of the U.S. Pacific Fleet, Yard and district craft. SOPA is Commander in Chief U.S. Pacific Fleet.

J. Hoffey Cwo USN.

04-08 Moored as before.

J. Hoffey Cwo USN.

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 8 (Date) OCTOBER (Month) 19 61

08-12 Moored as before. 0800 Mustered the duty section, absentees none. 1100 Made daily inspection of magazine temperature and smokeless powder samples, conditions normal.

E.B. Masch LTJG USNR

12-16 Moored as before.

E.B. Masch LTJG USNR

16-20 Moored as before. 1800 Set material condition yoke.

E.B. Masch LTJG USNR

20-24 Moored as before.

E.B. Masch LTJG USNR

APPROVED: CT U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE MONDAY (Day) 9 (Date) OCTOBER (Month), 19 60

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07	SEE		FLEET		WEATHER					CENTRAL			
08													
09													
10													
11	PEARL		HARBOR,		HAWAII								
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
40

FUEL CONSUMED 0000-2400
618

REMARKS

00-04 Moored port side to with alfa Two (A-2) U.S. Naval Station, Pearl Harbor Hawaii with four (4) standard mooring lines doubled up. Receiving miscellaneous service from the pier. Ships present include various units of the U.S. Pacific Fleet plus yard and district craft. SOPA is Commander in Chief. U.S. Pacific Fleet.

E.B. Masch LTJG USNR

04-08 Moored as before. 0645 Received draft reading, draft fwd 13" draft aft 16' 6". 0750 Held quarters for muster and inspection, absentees none.

E.B. Masch LTJG USNR

APPROVED: LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) MONDAY (Day) 9 (Date) OCTOBER (Month) 1961

08-12 Moored as before. 0900 Made daily inspection of magazines and smokeless powder samples conditions normal. 0930 Commenced preparations for getting underway. 1015 Set the special sea and anchor detail. 1020 Completed all preparations for getting underway. Shaft towed 13'0", OT 16'6"/1030 Underway in accordance with OI Station Order 41-61. Captain has the conn navigator on the bridge. Steering various courses and speeds to conform with Base Harbor Channel. 1041 Passed buoy 4 abeam to starboard distance approx 75 yards. 1042 Passed buoy 6 abeam to starboard distance approx. 75 yards. 1050 Secured the special sea and anchor detail. 1050 OOD assumed the conn. 1055 Entered Intracoastal waters. 1058 C/C to 115° 106° (PSTGC). C/S to 6.7 knots (50 RPMS) 1150 Manned all lowering and sea stations.

J. F. Stupp, CWO, USN

12-16 Underway as before. 1200 Commenced exercise F-6-S with USS Tapelma (ATF 113). Steering various courses and speeds. 1402 Captain assumed the conn. 1442 Completed exercise F-6-S. 1443 Commenced scheduled exercises F-25-S (modified), F-26-S, F-27-S. Steering various courses and speeds during exercises. 1548 Passed Diamond Head Light 4 cables abeam to port distance approx 6 miles.

J. F. Stupp, CWO, USN

16-20. Underway as before. 1630 Completed all exercises with USS Tapelma (ATF 113). 1631 C/C to 309° 294° (PSTGC) C/S to 12.3 knots (100 RPM's). 1640 Stationed the special sea and anchor detail. 1642 C/C to 337° 322° (PSTGC). 1647 Entered Inland waters. 1649 C/C to 335° 320° (PSTGC) 1650 Steering various courses and speeds to conform to Pearl Harbor Channel. Captain has the conn navigator is on the bridge. 1653 Passed buoy 2 abeam to starboard distance approx 100 yards. 1656 Passed buoy 4 abeam to starboard distance approx. 150 yards. 1701 Passed buoy 6 abeam to starboard distance approx. 75 yards. 1708 Moored portside to berth alpha two (A-2), US Naval Station Pearl Harbor Hawaii with four (4) standard mooring lines. 1715 Secured the special sea and anchor detail. 1800 Set material condition Able. 1830 Mustered the duty fire party.

J. F. Stupp, CWO, USN

20-24 Moored as before.

J. F. Stupp, CWO, USN

APPROVED: EXAMINED:

LT, U. S. N. COMMANDING — E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF 96) ZONE DESCRIPTION +10 DATE TUESDAY (Day) 10 (Date) OCTOBER (Month), 1961

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06		SEE		FLEET				WEATHER		CENTRAL			
07													
08													
09													
10		PEARL		HARBOR,				HAWAII					
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
90

FUEL CONSUMED 0000-2400
1,203

REMARKS

00-04 Moored port side to South Alpha two (A-2) Naval Station, Pearl Harbor, Hawaii with four (4) standard mooring lines doubled up. Frequent miscellaneous services from the pier. Ships present include various ships and units of the U.S. Pacific Fleet and district craft. COMPHIB is Commander Amph. Force, U.S. Pacific Fleet.

L. J. Shipp CWO USN

04-08 Moored as before. 0645 Commenced making preparations for getting underway. 0700 Mustered the crew at quarters for muster and inspection. Absentees none. 0720 Set the special sea and anchor detail. 0725 Completed all preparations for getting underway. Ships forward draft 13'0" aft 16'3". 0735 Underway for local operations in accordance with Ltr Ship's Order 41-61. Captain has the conn, navigator on bridge. Steering various courses and speeds to conform to Pearl Harbor channel. 0751 Passed buoy 5 abeam to starboard distance approx. 75 yards 0753 Passed

APPROVED: [signature] U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 10 (Date) OCTOBER (Month), 19 61

(0408 CONT.) buoy 3 abeam to starboard distance apprx. 75 yards. 0756 passed buoy 1 abeam to starboard distance apprx. 75 yards.

H.E. Lupp, CWO, USN

0812: UNDERWAY AS BEFORE. 0820 SECURED THE SPECIAL SEA AND ANCHOR DETAIL, SET REGULAR UNDERWAY WATCH. 0834 ENTERED INTERNATIONAL WATERS. 0846 C/C TO 235°T. 0856 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL. 0904 C/C TO 190°T. 0914 C/S 10 KNOTS (79 RPM) C/C TO 180°T. FORMED UP WITH USS RADFORD (CODE-44C) FOR SUB EXERCISE (S-2-T). 0921 FORM C/C TO 290°T. 0922 FORM C/S TO 11.5 KNOTS (92 RPM). 0926 COMMENCED STEAMING IN ACCORDANCE WITH ZIGZAG PLAN THREE-ROMEO (3R) [ATP-3], BASE CUS 290°T. 0936 CWO HAFFEY TOOK THE CONN. 0948 CEASED ZIGZAG PLAN 3R. C/C TO 330°T. 1006 CAPTAIN RELIEVED CWO HAFFEY OF THE CONN, MAKING VARIOUS COURSES AND SPEEDS TO MARK POSITION OF EXERCISE TORPEDO. 1020 HAVE UNIT IN SIGHT. 1028 C/C TO 270°T C/S TO 12 KNOTS (97 RPM) 1052 C/C TO 095°T C/S TO 9.5 KNOTS (75 RPM). 1100 COMMENCED STEAMING IN ACCORDANCE WITH ZIGZAG PLAN FOUR-ROMEO (4-R) [ATP-3], BASE COURSE 270°T.

H.R. Swain, ENS, USNR

12-16: UNDERWAY AS BEFORE. 1213 C/C TO 090°T, C/S TO 12 KNOTS (97 RPM). 1306 COMMENCED STEAMING IN ACCORDANCE WITH ZIGZAG PLAN FIVE-ROMEO (5-R) [ATP-3], BASE COURSE 090°T 1359 SIGHTED EXERCISE TORPEDO. 1440 COMMENCED STEAMING IN ACCORDANCE WITH ZIGZAG PLAN THREE-ROMEO (3-R) [ATP-3], BASE CUS 070°T. 1542 COMPLETED SCHEDULED EXERCISE. 1543 C/C TO 075°T, C/S TO ~~12.3~~ KNOTS (110 RPM) HKS

H.R. Swain, ENS, USNR

16-20: UNDERWAY AS BEFORE. 1615 C/S TO 120 RPM, PLACED NUMBER TWO MAIN GENERATOR IN THE LOOP, MAKING 14.3 KNOTS. 1640 C/C TO 076°T. SET THE SPECIAL SEA AND ANCHOR DETAIL. 1644 C/C TO 330°T. 1649 ENTERED INLAND WATERS. MAKING VARIOUS COURSES AND SPEEDS TO CONFORM TO PEARL HARBOR CHANNEL. 1658 PASSED BUOY NUMBER FOUR (4) TO STARBOARD 1701 C/C TO 335°T. 1702 C/S TO AHEAD TWO-THIRDS. 1704 C/C TO 349°T. 1712 MOORED PORTSIDE TO BERTH ALFA-TWO (A-2), US NAVAL BASE, PEARL HARBOR, HAWAII, WITH FOUR (4) STANDARD MOORING LINES DOUBLED-UP. 1720 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. 1800 SET MATERIAL CONDITION YOKE.

H.R. Swain, ENS, USNR

20-24: MOORED AS BEFORE.

H.R. Swain, ENS, USNR

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE WEDNESDAY 11 OCTOBER (Day) (Date) (Month), 1961

AT/PASSAGE FROM PEARL HARBOR, HAWAII. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE FLEET WEATHER CENTRAL												
07													
08													
09	PEARL HARBOR, HAWAII												
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
170

FUEL CONSUMED 0000-2400
Est. 6,627

REMARKS

00-04: MOORED PORTSIDE TO BERTH ALFA-TWO (A-2), US NAVAL BASE, PEARL HARBOR, HAWAII, WITH FOUR (4) STANDARD MOORING LINES DOUBLED-UP. RECEIVING VARIOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS SHIPS AND UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SCPA IS COMMANDER-IN-CHIEF, U.S. PACIFIC FLEET. 0355 PHOTO-TRIANGULATION GROUP CAME ABOARD.

HUSWOM, ENS, USNR.

04-08: MOORED AS BEFORE. 0401 MUSTERED THE CREW AT ~~HDS~~ QUARTERS; ABSENTEES NONE. ~~0) HAPPY FOURTH~~. COMMENCED MAKING PREPARATIONS FOR GETTING UNDERWAY. DRAFT FORWARD 13'3", AFT 16'6". 0415 SET THE SPECIAL SEA AND ANCHOR DETAIL. 0430 COMPLETED PREPARATIONS FOR GETTING UNDERWAY. 0435 UNDERWAY FROM BERTH ALFA-TWO FOR LOCAL OPERATING AREA IN ACCORDANCE WITH FLEET TRAINING GROUP OPERATION ORDER 41-61. MAKING VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNELS WITH

APPROVED: [signature] U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY 11 OCTOBER 19 61
(Day) (Date) (Month)

SERIES FORTY (40) SLED IN TOW. Ø534 PASSED BUOY NUMBER ONE (1) ABEAM TO STARBOARD. HEADING IS 176°T. TOOK MAIN GENERATORS NUMBERS TWO (2) AND THREE (3) OUT OF THE LOOP. MAKING AHEAD 35 RPM (4.6 KNOTS) Ø519 C/S TO 11.3 KNOTS (90 RPM) Ø519 SECURED SPECIAL SEA AND ANCHOR DETAIL, SET REGULAR UNDERWAY WATCH. Ø520 ENTERED INTERNATIONAL WATERS. Ø522 C/C TO 215°T. LT(JG) MASCH RELIEVED THE CAPTAIN OF THE CONN. Ø644 C/C TO 197°T. Ø721 ENS SWAN RELIEVED LT(JG) MASCH OF THE CONN. Ø741 C/S TO 3.3 KNOTS (25 RPM), C/C TO 270°T. Ø750 COMMENCED STREAMING TARGET SLED. Ø754 TARGET STREAMED TO 3600 FEET, C/C TO 240°T. C/S TO 7.1 KNOTS (60 RPM).

N.R. Swan, ENS, USNR.

08-12. Underway as before. 0807 Target streamed to 3600 feet on the dog. C/S (6+ RPM) 8 knots 0843 Commenced scheduled exercise Z-24-6 with U.S.S. Fletcher (DDE-445) on Base Course 240° Speed 8 knots. 0844. U.S.S. Fletcher (DDE-445) reported having first round 52 rounds delayed firing (30) minutes. 0857 Made daily inspection of magazine temperature and smokeless powder sample condition satisfactory. 0945 Scheduled exercise Z-24-6 with U.S.S. Fletcher (DDE-445) Ceased to fire mechanism Casualty. 0946. Commenced making various speed and course changes to commence scheduled exercise Z-24-6 with U.S.S. DeHaven (DD-727) and U.S.S. Duncan (DDR-874) on Base Course 090° Speed 10 knots. 1200 Completed scheduled exercise Z-24-6 with U.S.S. DeHaven (DD-727 and U.S.S. Duncan (DDR-874)

J.E. Hoffey Cwo USN.

12-16. Underway as before. 1238 Making various speed and course changes to commence scheduled exercise Z-24-7 with U.S.S. Fletcher (DDE-445) 1259 Completed Phase I of exercise 1346. U.S.S. Fletcher DDE-445) unable to completed scheduled exercise Z-24-8 due to equipment failure. 1438. Fint minutes standby for exercise Z-24-6 with U.S.S. Mansfield (DD-728) and U.S.S. Frank Knox (DDR-742) 1444 U.S.S. Mansfield (DD-728) Commenced firing for exercise Z-24-6. 1532 U.S.S. Frank Knox (DDR-742) Commenced exercise Z-24-6. 1551 Completed exercise Z-24-6 with U.S.S. Mansfield (DD-728) 1558 Completed scheduled exercise with U.S.S. Frank Knox (DDR-742). Released by U.S.S. Mansfield (DDR-728)

J.E. Hoffey Cwo USN.

16-20. Underway as before C/S 45 RPM 6 knots. 1603 Commenced firing in on target 1608 C/C 030° 1614 target at 600 feet on the dog C/S 6.7 knots 50 RPM. 1616 C/S 8.9 knots 70 RPM. 1617 C/S 10.1 knots 80 RPM 1618 C/S 11.3 knots 90 RPM 1711 C/C 053°

J.E. Hoffey Cwo USN. (CONT)

APPROVED: EXAMINED:

U.S.N. COMMANDING E.B. Masch LT(JG) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ (Day) (Date) (Month), 19__

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED
0000–2400

FUEL CONSUMED
0000–2400

REMARKS

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 11 (Date) OCTOBER (Month) 19 61

16-20 (CONT) 1812 Observed Sunset turned on Navigation Lights - Target does not carry navigational lights 1817. Sighted Barber point light Bearing 036° distance approximately 21 miles. 1950 C/C 065°

J. E. Hoffey Cwo USN.

20-24. Underway as before. 2000 C/C 077°. 2029 C/C 075° 2034. Commenced making preparations for entering port 2058 C/C to 078°. 2105 Stationed the Special Sea and Anchor detail Captain coming, Navigator on the bridge 2116 Steady on 018°. 2117 Entered inland Waters 2118 Steady on 357°. Shifted Control to Bridge. 2119. Commenced leaving in on target to 300 feet. C/C 65 RPM 8.3 Knots 2121 C/C to 000° 2124 Steady on 347° C/C 335°. F/A 75 R.P.M. 9.5 knots. 2125. Commenced altering various courses and making speed changes as necessary to conform with maneuvering into Pearl Harbor Channel. 2130 Passed Buoy #2 abeam to Port distance approximately 80 yards. 2132 Commenced steering target into 100 feet. 2135 Commenced steering target into 100 feet. Passed buoy #4 abeam to Port approximately 80 yds. 2142. Passed Buoy #6 abeam to Port distance approximately 80 yds. 2143 Steered target into Short. 2151. Moored Port side to Berth Alfa two (F-2) U. S. Naval Base, Pearl Harbor, Hawaii 2157. Secured Special Sea and Anchor detail. Set the regular in port watch. Shifted Quarter Master Note Book to Quarter deck.

J. E. Hoffey Cwo U.S.N.

APPROVED: EXAMINED:

[signature] LT, U. S. N. COMMANDING E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE THURSDAY 12 OCTOBER 19 61
(Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07	SEE	FLEET		WEATHER						CENTRAL			
08													
09													
10													
11	"	PEARL		HARBOR						HAWAII			
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
411

REMARKS

00-04. Moored Portside to Berth Alpha two (F7-2) U.S. Naval Station Pearl Harbor, Hawaii with four (4) Standard mooring lines dressed up. Receiving miscellaneous Service from its Pier. Ships Present include various units of the U.S. Pacific Fleet plus Yard and District Craft. S.O.P.A. is Commander in Chief U.S. Pacific Fleet

J.E. Hoffey CWO, U.S.N.

04-08. Moored as before. 0730 Mustered ship's Crew at Quarters for Muster and inspection. Absentees none.

J.E. Hoffey CWO U.S.N.

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: E.B. Masch LTJG U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY (Day) 13 (Date) OCTOBER (Month), 19 61

08-12 Moored as before. 0930 Made daily inspection of magazine temperatures and smokeless powder samples, conditions normal.

E.B. Masch LTJG USNR

12-16 Moored as before.

E.B. Masch LTJG USNR

16-20 Moored as before. 1800 Set material condition yoke. 1815 Mustered the duty fire party, absentees none.

E.B. Masch LTJG USNR

20-24 Moored as before.

E.B. Masch LTJG USNR

APPROVED: [signature] LTJG U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE FRIDAY (Day) 13 (Date) OCTOBER (Month), 19 61

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07	SEE		FLEET		WEATHER					CENTRAL			
08													
09													
10													
11	PEARL		HARBOR		HAWAII								
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
62

FUEL CONSUMED 0000-2400
534

REMARKS

00-04 Moored port side to berth alfa two (A-2) U.S. Naval Station Pearl Harbor Hawaii with four(4) standard mooring lines doubled up. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet plus yard and district craft. SOPA is Commander in Chief U.S. Pacific Fleet.

E. B. Masch LTJG USNR

04-08 Moored as before. 0635 Held quarters for muster and inspection, absentees none. 0640 Set special sea and anchor detail. 0700 Underway from berth Alfa Two (A-2) U.S. Naval Station Pearl Harbor Hawaii for local OP area, making various course and speed changes to conform with the Channel and safe navigation, Captain has the Conn, Navigator is on the bridge. 0715 Secured the special sea and anchor detail 1/S to 13.3 knots (110 RPM). 0721 Entered International waters.

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96). FRIDAY (Day) 13 (Date) OCTOBER (Month) 19 61

04-08 (CONTINUED). 0725 Steady on course 165° T.

E. B. Masch LTJG USNR

08-12 Underway as before. 0830 Made daily inspection of magazines and keepers powder samples conductors, original. Made weekly test of magazine sprinkling system, last satisfactory. 0839 C/C to 150° 140° (PSTGC) 1008 C/S to 145° 136 (PSTGC). 1018 C/C to 179° 180° (PSTGC). 1022 Commenced exercise 2-9-G with U.S.S. Cayuga (DD 845) on base course 180° speed 16 knots 500 yards astern of exercise ship. Captain has the con. Steering various courses and speeds during this exercise. Target aircraft launched. 1130 Exercise 2-9-G completed. Steering various courses and speeds to pick up target aircraft. #43 Target on board. C/C to 000°. C/S to 12.5 knots (HOOPER'S). 1151 1000 assumed the con. 1155 C/C to 300°, 315 (PSTGC).

J. J. Lupp, CWO, USN.

12-16 Underway as before. 1205 C/C to 345°. 1215 C/C to 335°. 1259 C/C to 342°. 1437 Set the special sea and anchor detail. 1448 C/C to 332° 316° (PSTGC). Captain has the con, navigator on the bridge steering various courses and speeds to go down to Pearl Harbor channel. 1542 Entered inland waters. 1500 Passed buoy 2 abeam to starboard, distance approx. 80 yards. 1502 Passed buoy 4 abeam to starboard distance approx. 80 yards. 1507 Passed buoy 6 abeam to starboard distance approx. 80 yards. 1519 Passed buoy 22 abeam to starboard distance approx. 75 yards. 1532 Moored starboard side to berth Sierra Eight Seven (S-18) U.S. Naval Submarine Base Pearl Harbor Hawaii with four (4) standard mooring lines. 1540 Secured the special sea and anchor detail.

J. J. Lupp, CWO, USN.

16-20 Moored as before. 1800 Set material condition Zebra. 1836 Mustered duty fire party.

J. J. Lupp, CWO, USN

DLY 20-24 Moored as before.

J. J. Lupp, CWO, USN.

APPROVED:

U. S. N. COMMANDING

EXAMINED:

E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF96) ZONE DESCRIPTION +10 DATE SATURDAY (Day) 14 (Date) OCTOBER (Month), 19 61

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07	SEE			FLEET		WEATHER					CENTRAL		
08													
09													
10													
11	PEARL			HARBOR		HAWAII							
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored starboard side to berth Sierra eighteen (S-18), U.S. Naval Submarine Base, Pearl Harbor, Hawaii with four (4) standard mooring lines doubled up. Receiving messages addressed from the Pac. Ships present include ships and units of the U.S. Pacific fleet, yard and district craft. CinPac is Commander in Chief U.S. Pacific Fleet.

J. J. Lupp CWO, USN

04-08 Moored as before.

J. J. Lupp, CWO, USN

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 14 (Date) OCTOBER (Month), 19 61

00-12: MOORED AS BEFORE. 0800 MUSTERED THE CREW ON STATIONS; ABSENTEES NONE. 0805 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

H.W. Swan, ENS, USNR.

12-16: MOORED AS BEFORE.

H.W. Swan, ENS, USNR.

16-20: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

H.W. Swan, ENS, USNR.

20-24: MOORED AS BEFORE.

H.W. Swan, ENS, USNR

APPROVED:

[signature] LTJG U. S. N. COMMANDING

EXAMINED:

E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SUNDAY 15 OCTOBER, 19 64
(Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05	SEE		FLEET		WEATHER			CENTRAL					
06													
07													
08													
09	PEARL HARBOR, HAWAII												
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 50

REMARKS

00-04: MOORED STARBOARD SIDE TO BERTH SIERRA-EIGHTEEN (S-18), U.S. NAVAL SUBMARINE BASE, PEARL HARBOR, HAWAII WITH FOUR (4) STANDARD MOORING LINES DOUBLED-UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS SHIPS AND UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMMANDER-IN-CHIEF, U.S. PACIFIC FLEET.

H H [illegible], ENS, USNR

04-08: MOORED AS BEFORE.

H H [illegible], ENS, USNR

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 15 (Date) OCTOBER (Month), 19 61

08-12 Moored as before. 0800 Muster and obs duty section on station, duration word. 1100 Made daily inspection of magazine temperature and sprinkler system pumps in condition-normal.

J.E. Hoffey Cwo U.S.N.

12-16. Moored as before.

J.E. Hoffey Cwo U.S.N.

16-20 Moored as before. 1800 Set material condition second deck and below.

J.E. Hoffey Cwo U.S.N.

20-24. Moored as before

J.E. Hoffey Cwo U.S.N.

APPROVED: J. [illegible] LT, U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE MONDAY (Day) 16 (Date) OCTOBER (Month), 1961

AT/~~PASSAGE FROM~~ PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05	SEE			FLEET				WEATHER			CENTRAL		
06													
07													
08													
09	PEARL HARBOR, HAWAII												
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
05

FUEL CONSUMED 0000-2400
310

REMARKS

00-04. Moored starboard side to berth Tierra Eighteen (CS-18) U. S. Naval Submarine Base Pearl Harbor Hawaii with four (4) standard mooring lines in use. Receiving miscellaneous stores from the pier. Ships present include various units of the U. S. Pacific Fleet plus yard and District Craft. SOPA is Commander in Chief U. S. Pacific Fleet

J. E. Hoffey CWO USN.

04-08. Moored as before. 0750 Mustered the Crew at Quarters for muster and inspection. Absentees none.

J. E. Hoffey CWO USN.

APPROVED: [signature] U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 16 (Date) OCTOBER (Month) 19 61

08-12 Moored as before. 0801 Set special sea and anchor detail. 0816 Underway from Sierra Eighteen (S-18) in accordance with FLTTRAGRU PEARL OPORDER 42-61 for local operations, Captain has the conn, Navigator is on the bridge, making various course and speed changes to clear the channel. 0910 C/S to 12.3 knots (100 RPM). 0912 Steady on course 154°T. 0914 Secured the special sea and anchor detail. 0918 C/C to 105°T. 0920 Made daily inspection of magazine temperature and smokeless powder samples, condition normal. 0926 C/S to 6.7 knots (50 RPM). 0954 Commenced scheduled exercises Z-64-E, Z-70-E and Z-82-E. 1015 Set material condition yoke throughout the ship. 1017 Secured from ~~sea~~ scheduled exercises Z-64-E, Z-70-E and Z-82-E. 1030 Exercised the crew at General Quarters. 1034 Set material condition Zebra throughout the ship. 1036 C/C to 275°T. 1037 Commenced general engineering and damage control drills. 1110 C/C to 270°T. 1114 C/S to 9.5 knots (75 RPM). 1115 Commenced scheduled exercise Z-4-N, shifted steering to secondary conn. 1120 Secured from scheduled exercise Z-4-N shifted steering control to the bridge. 1121 C/C to 280°T, C/S to 12.3 knots (100 RPM). 1123 Secured from general damage control and engineering drills, secured from General Quarters, set material condition yoke throughout the ship. 1136 C/C to 303°T. 1145 Set the special sea and anchor detail. 1156 Commenced steering various courses to conform with Pearl Harbor Channel and to make berth, Captain has the conn, Navigator is on the bridge.

E.B Masch LTJG USNR

12-16 Underway as before. 1217 Moored port side to U.S.S Ute (ATF-76) at berth Alfa Two (A-2) U.S. Naval Station Pearl Harbor Hawaii with four(4) standard mooring lines. 1222 Secured the special sea and anchor detail.

E.B. Masch LTJG USNR

16-20 Moored as before.

E.B. Masch LTJG USNR

20-24 Moored as before.

E.B. Masch LTJG USNR

APPROVED: LT U.S.N. COMMANDING

EXAMINED: E.B. Masch LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE TUESDAY (Day) 17 (Date) OCTOBER (Month), 19 61

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE FLEET WEATHER CENTRAL												
07													
08													
09	PEARL HARBOR HAWAII												
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
65

FUEL CONSUMED 0000-2400
369

REMARKS

00-04 Moored portside to USS Ute (ATF-75) at berth alfa Two (A-2) U.S. Naval Station Pearl Harbor Hawaii with four (4) standard mooring lines doubled up. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet plus yard and district craft. SOPA is CINCPACFLT.

E.B. Masch LTJG USNR

04-08 Moored as before. 0735 Held quarter for muster and inspection absentees none. 0745 Set the special sea and anchor detail.

E.B. Masch LTJG USNR

APPROVED: [signature] U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 17 (Date) OCTOBER (Month), 19 61

08-12 Moored as before. 0800 Underway for local operations in accordance with Com Fltrad Inst 03040 dated 4.2-61. Capt-ain has the conn, navigator on the bridge. Steering various courses and speeds to conform to Pearl Harbor Channel. 0806 Ships daily inspection of moppers, mess and smokeless powder. Samples. Condition normal. 0813 Passed buoy 7 abeam to starboard, distance abeam 100 yards. 0817 Passed buoy 3 abeam to starboard, distance abeam 100 yards. 0821 Passed buoy 1 abeam to starboard, distance abeam 100 yards. 0830 Secured the special sea and anchor detail. Entered Inland waters. 0836 Steering various courses and speeds while compensating compass. 0840 Assumed the conn. 0855 Secured from compensating compass. 0956 C/C to 286° 274° (PSTGC) C/S to 7.7 knots (60 RPM's). 1001 C/S to 9.3 knots (75 RPM's). 1011 C/C to 290° 278° (PSTGC). 1020 C/C to 270° 253° (PSTGC). 1048 C/C to 060°. 1052 Entered Inland waters. 1056 Steering various courses and speeds while running the measured mile

J. J. Lupp, Cdr, USN.

12-16 Underway as before. 1203 Captain assumed the conn. 1428 Started from running the measured mile. 1430 C/C to 100°, 088° (PSTGC), C/S to 13.3 knots (110 RPM's). 1433 Entered International waters. 1441 C/C to 090°, 078° (PSTGC) 1442 Commenced running tactical diameters, steering various courses and speeds. 1549 Completed running tactical diameters. Set the special sea and anchor detail. 1553 C/S to 12 knots (97 RPM's). 1555 C/C to 290°, 278° (PSTGC) 1608 C/C to 332°, 320° (PSTGC).

J. J. Lupp, Cdr, USN

16-20 Underway as before. 1603 Entered Inland waters. 1605 Commenced steering various courses and speeds to conform to Pearl Harbor Channel. Captain left the conn, navigator on the bridge. 1612 Passed buoy 2 abeam to starboard, distance abeam 125 yards. 1615 Passed buoy 4 abeam to starboard, distance abeam 100 yards. 1620 Passed buoy 6 abeam to starboard, distance abeam 80 yards. 1627 Moored port side to Dock 11 Pier C-5, U.S. Naval Station, Pearl Harbor, Hawaii. Fast (4) Standard mooring lines. 1631 Secured the special sea and anchor detail. 1800 Set material condition Zebra. 1830 Observed the duty section.

J. J. Lupp, Cdr, USN

20-24 Moored as before

J. J. Lupp, Cdr, USN.

APPROVED: J. J. Lupp, Cdr, U. S. N. COMMANDING

EXAMINED: E. B. Musch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE WEDNESDAY (Day) 18 (Date) OCTOBER (Month), 19 61

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE			FLEET				WEATHER			CENTRAL		
07													
08													
09													
10	PEARL HARBOR, HAWAII												
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
245

REMARKS

00-04 Moored as Tugs to North Alpha pier (A-5) U.S. Naval Station, Pearl Harbor Hawaii with four (4) standard mooring lines doubled up. Receiving miscellaneous services from the pier. Ships present include various ships and units of the U.S. Pacific Fleet, and ships of Sqdn. 30 PCU is Commander in Chief, U.S. Pacific Fleet.

J.F. Lupp, CWT, USN

04-08 Stopped as duty. 0750 Sounded the general quarters for muster and inspection; all present and accounted for.

J.F. Lupp, CWT, USN

APPROVED: [signature] LT, U.S.N. COMMANDING

EXAMINED: E.B. March LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF96) WEDNESDAY (Day) 18 (Date) OCTOBER (Month) 19 61

0800-1200: MOORED AS BEFORE. 0953 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

W. W. [illegible], ENS, USNR

1200-1600: MOORED AS BEFORE.

W. W. [illegible], ENS, USNR

1600-2000: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

W. W. [illegible], ENS, USNR

2000-2400: MOORED AS BEFORE.

W. W. [illegible], ENS, USNR

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE THURSDAY (Day) 19 (Date) OCTOBER (Month), 19 64

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE FLEET WEATHER CENTRAL												
07													
08													
09	PEARL HARBOR, HAWAII												
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
10

FUEL CONSUMED 0000-2400
850

REMARKS

00-04: MOORED PORT SIDE TO BERTH ALFA-FIVE (A-5), U.S. NAVAL BASE, PEARL HARBOR, HAWAII WITH FOUR (4) STANDARD MOORING LINES DOUBLED-UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS SHIPS AND UNITS OF THE U.S. PACIFIC FLEET, DISTRICT AND YARD CRAFT. SOPA IS COMMANDER-IN-CHIEF, U.S. PACIFIC FLEET.

H.N. BROOM, ENS, USNR

04-08: MOORED AS BEFORE. 0740 MUSTERED THE CREW AT QUARTERS; ABSENTEES: NONE. 0745 COMMENCED MAKING PREPARATIONS FOR GETTING UNDERWAY. 0747 SET THE SPECIAL SEA AND ANCHOR DETAIL. 0757 COMPLETED PREPARATIONS FOR GETTING UNDERWAY.

H.N. BROOM, ENS, USNR.

APPROVED: [signature] LT U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY (Day) 19 (Date) OCTOBER (Month), 19 61

08-12. 0800 Underway from Berth Alfa 7 of 6 (ATF-5) U.S. Naval Station Pearl Harbor, Hawaii in accordance with COMFAIR TRACGROUPORD 72-61 Captain Leads the Conn Navigator in on its bridge 0802 Making various courses and speed changes as necessary to conform with maneuvering in Pearl Harbor Channel. 0811 Passed buoy #13 abeam to port dist approx 300 yds. 0814 passed station #1 thirty abeam to port dist approx 750 yds 0817 passed buoy 16 abeam to stbd dist approx 150 yds 0818 Passed buoy 20 abeam to stbd dist approx 175 yds 0820 passed Ford Island tower abeam to stbd approx 900 yds 0821 Manned all mach gear taking stations 0822 passed buoy #41 abeam to stbd dist approx 150 yds 0824 passed buoy #39 abeam to stbd dist approx 150 yds. 0831 passed buoy #35 abeam to stbd dist approx 550 yds 0840. Let go Portanchor in 30 feet of water. With Mud and Sand bottom on 45 shackles anchor bearing. Ford Island tower 194° Aiea Water Tower 174° Left tangent off Small Island 134°. 0847 Commenced forging Ahead to buoy X-12-S. 0853 Secured main to buoy. 0854. Commenced scheduled upkeep 7-41-S. 1048. Secured from scheduled upkeep 7-41-S. 1054. Underway from Middle Loch to Berth Alfa 7 of (7-5) U.S. Naval Station Pearl Harbor Hawaii. Captain Conning Navigator on the Bridge. Making various courses and speed to Conform with Maneuvering out of Middle Loch. 1116 Steamed ahead sea and anchor detail. 1137 Moored Port Side to Berth Alfa 7 of (7-5) with 2 standard mooring lines 1155. Made daily inspection of magazine temperature and Smokeless powder samples; Condition Normal. All the regulars in port watch.

J.E. Hoffey CWO USN.

12-16. Moored as before

J.E. Hoffey CWO USN.

16-20 Moored as before. 1500 All Material Condition Yoke Second deck and below.

J.E. Hoffey CWO U.S.N.

20-24. Moored as before.

J.E. Hoffey CWO U.S.N.

APPROVED: LT U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE FRIDAY (Day) 20 (Date) OCTOBER (Month), 19 61

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE		FLEET		WEATHER			CENTRAL					
07													
08													
09													
10	PEARL		HARBOR		HAWAII								
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
50

FUEL CONSUMED 0000-2400
690

REMARKS

00-04. Moored Port Side to Berth Alfa Pier (A-5) U.S. Naval Base, Pearl Harbor Hawaii with four standard mooring lines doubled up. Receiving installations remain from this pier. Ships present include various units of the U.S. Pacific Fleet plus foreign and district craft. SOPA is Commander Air Chief U.S. Pacific Fleet.

04-08. Moored as before. 0705 Mustered crew at Quarters for muster and inspection absentees none. 0715 Set the special sea and anchor detail. 0737 Underway in accordance with COMFLTPACOM OP ORDER 11-61, from Alfa Pier (A-5) U.S. Naval Station Pearl Harbor Hawaii. Captain Conning the Navigator is on the bridge, making various speed and course to clear pier. 0743 Hauled Mooring Wires Aboard Came along side to Pond (Cont'd)

APPROVED: [signature] LT U.S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U.S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 20 (Date) OCTOBER (Month) 19 61

04-08 (CONT) 0745 C/C 173° 0746 Commenced heaving in on #1 motor whale Boat. 0746 M/T 50 RPM. 0748 C/C 170° 0748 C/C 168° 0749 C/C 165° C/S to 8 kts. Passed buoy #9 Apeam to Port Distance approx 75 yds. 0750 C/C 155° 0752 C/C to 157° 0759 Secured anchor for sea

J.A. Hoffey CWO USN.

08-12 Underway as before. 0803 Secured the special sea and anchor detail. 0807 Entered International water. 0809 C/C to 210°T. 0817 Made daily inspection of magazine temperatures and smakeless powder samples, conditions normal. 0820 Conducted weekly test of magazine spinkling system, test satisfactory. 0933 C/S to 9.5 knots (75 RPM). 0935 C/C to 247°T. 0945 Exercised the crew at General Quarters. 0954 C/C to 263°T. 1003 C/C to 085°T. 1019 Secured from General Quarters. 1020 C/S to 13.3 knots (110 RPM). 1021 C/C to 030°T. 1103 C/C to 050°T. 1141 C/S to 12 knots (97 RPM). 1150 Set special sea and anchor detail. 1152 C/C to 333°T. 1157 Entered Inland Water.

E.B. Masch LTJG USNR

12-16 Underway as before. 1200 Making various course and speed changes to conform with Pearl Harbor channel and to make berth. 1220 Moored port side to berth Alfa Five (A-5) U.S. Naval Station Pearl Harbor Hawaii with four (4) standard mooring lines doubled up. 1225 Secured the special sea and anchor detail.

E.B. Masch LTJG USNR

16-20 Moored as before. 1800 Set material condition yoke.

E.B. Masch LTJG USNR

20-24 Moored as before.

E.B. Masch LTJG USNR

APPROVED: [signature] LT U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SATURDAY (Day) 21 (Date) OCTOBER (Month), 19 61

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06		SEE		FLEET			WEATHER			CENTRAL			
07													
08													
09													
10		PEARL		HARBOR			HAWAII						
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
65

REMARKS

00-04 Moored port side to berth alfa Five (A-5) U.S. Naval Station Pearl Harbor Hawaii with four (4) standard mooring lines doubled up. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet plus yard and district craft. SOPA is CINCPACFLT.

E.B. Masch LTJG USNR

04-08 Moored as before.

E.B. Masch LTJG USNR

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 21 (Date) OCTOBER (Month), 19 64

08-12 Moored as before. 0800 Mustered the crew at stations, absentees none. 0839 Made daily inspection of magazines and smokeless powder samples, conditions normal.

J. J. Stupp, CWO, USN

12-16 Moored as before.

J. J. Stupp, CWO, USN

16-20 Moored as before. 1745 Mustered the duty section party. 1860 to 1 material condition yoke.

J. J. Stupp, CWO, USN

20-24 Moored as before.

J. J. Stupp, CWO, USN

APPROVED: [signature] U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF96) ZONE DESCRIPTION +10 DATE SUNDAY 22 OCTOBER, 19 61
(Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE FLEET WEATHER CENTRAL												
07													
08													
09	PEARL HARBOR, HAWAII												
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
162

REMARKS

00-04 Moored portside to berth Alpha five (A-5), U.S. Naval Station Pearl Harbor, Hawaii with four (4) standard mooring lines doubled up. Receiving miscellaneous services from the pier. Ships present include vessels ships and units of the U.S. Pacific Fleet, yard and local district craft. SOPA is Commander in Chief, U.S. Pacific Fleet.

F. J. Gripp, CWO, USN

04-08 Moored as before.

F. J. Gripp, CWO, USN

APPROVED: LT U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY 22 OCTOBER 19 61
(Day) (Date) (Month)

08-12: MOORED AS BEFORE. 0805: MUSTERED THE CREW ON STATIONS; ABSENTEES NONE. 1100 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

A.R. SWANSON, ENS, USNR

12-16: MOORED AS BEFORE.

A.R. SWANSON, ENS, USNR.

16-20: MOORED AS BEFORE. 1801 SET MATERIAL CONDITION YOKE.

A.R. SWANSON, ENS, USNR.

20-24: MOORED AS BEFORE.

A.R. SWANSON, ENS, USNR

APPROVED:

U. S. N. COMMANDING

EXAMINED:

E.B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ARNAKI (ATF-96) ZONE DESCRIPTION +10 DATE MONDAY (Day) 23 (Date) OCTOBER (Month), 19 61

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE		FLEET		WEATHER					CENTRAL			
07													
08													
09													
10	PEARL		HARBOR,		HAWAII								
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 80

FUEL CONSUMED 0000-2400: 828

REMARKS

00-04: MOORED PORT SIDE TO BERTH ALFA-FIVE (A-5), U.S. NAVAL BASE, PEARL HARBOR, HAWAII, WITH FOUR (4) STANDARD MOORING LINES DOUBLED-UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS SHIPS AND UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMMANDER-IN-CHIEF, U.S. PACIFIC FLEET.

H.W. SMITH, ENS, USNR

04-08: MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS FOR INSPECTION AND INSTRUCTIONS; ABSENTEES: NONE.

H.W. SMITH, ENS, USNR

APPROVED: [signature] LT U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ATAKAKI (ATF-96) MONDAY (Day) 23 (Date) OCTOBER (Month), 19 61

08-12. Moored as before. 0900 Commenced making preparations for getting underway. 0916 Set Special Sea and Anchor detail. 0930 Underway from Berth Alfa Four (07-5) U.S. Naval Station Pearl Harbor, Hawaii in accordance with COMFLTTRACRU OPORDER 43-61 enroute to OP AREA C-2 with target sled Series HQ. Captain Canning, Navigator on the Bridge making various Courses and Speed to maneuvering out of Pearl Harbor Channel. 0958 Streamed target to 600 feet. 1008 Secured Special Sea and Anchor detail, entered international waters 1009 C/S 90 RPM 11.3 kts 1011 C/C 165°. 1018 C/C 210° 1020 000 Canning. 1022 C/S 80 RPM 10.1 kts. 1026 C/S 90 RPM 11.3 kts. 1105 C/C 205°. 1120 Made daily inspection of magazine and handling room sample Condition, normal, 1148 000 CWO CRIPP

J.E. Hoffey CWO U.S.N.

12-16. Underway as before. 1236 C/C 235°. 1238 Streamed target to 3600 feet. 1239 C/S 5.2 kts 46 RPM. 1244 C/S. 7 kts 53 RPM. 1310 Commenced scheduled exercise 7-25-G with U.S.A.S. Philippine DDE-448) 1410 Completed scheduled exercise 7-23-G 1411 C/C 245°. 1412 C/S 6 kts 45 RPM. 1413 C/C 265°. 1414 Secured tow target to 600 feet. 1415 C/C 275° 1417 C/S 50 RPMS 1418 C/C 285°. 1419 C/C 295°. 1420 C/C 305°. 1422 C/C 066°. 1432 C/S 75 RPM 1434 C/S 80 RPM. 1435 C/S 85 RPM. 1436 C/S 90 RPM 11.3 kts 1517 Pearl Harbor Bear 045° distance approx 24 miles.

CWO J.E. Hoffey USN

16-20 Underway as before. 1770 C/C 040° 1829 C/C 050° 1830 Set Special Sea and Anchor detail. Captain Canning Navigator on the bridge. 1840 C/C 330° 1842 Secured tow target to 200 feet. 1843 Entered inland waters. Commenced making various Speed and Course to conform with safe navigation in Pearl Harbor Channel to moor along side of Berth Alfa Four (07-5) U.S. Naval Station Pearl Harbor Hawaii 1919. Moored. 1932 Secured Special Sea and Anchor detail. Set regular in port watch.

J.E. Hoffey CWO USN

20-24. Moored as before

J.E. Hoffey CWO U.S.N.

APPROVED: [signature] CT U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE TUESDAY 24 OCTOBER 1964
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE FLEET WEATHER CENTRAL												
07													
08													
09	PEARL HARBOR, HAWAII												
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
80

FUEL CONSUMED 0000-2400
504

REMARKS

00-04. Moored Port Side to Berth Alfa Pier (17-5) U.S. Naval Station Pearl Harbor, Hawaii with four (4) standard mooring lines doubled up. Receiving miscellaneous service from the pier. Ships present included various ship and units of the U.S. Pacific Fleet Fleet and district craft. SOPA is Commander in Chief U.S. Pacific Fleet.

J.E. Hoffey Cwo U.S.N.

04-08. Moored as before. 0430 Commenced making preparations for getting underway. 0515 Set special sea detail. Added Quartermaster to muster and inspection, absentia nil. 0535. Underway FAW with COMFLTTRACRU OPORD 43-61. The Captain has the Conn, Navigator is on the Bridge. Draft Fwd 13'0" Aft 16'0" Making various Course and Speed Changes as necessary to Conform with maneuvering out of Pearl Harbor Channel. 0543 Commenced streaming target. 0607 target streamed to 600' on the dog. 0610 Secured special sea detail. 0612 Entered International water. 4/E 90 RPM 16.3 kts. 0644 C/C 200°, 0647 C/C 207°. 0717 C/C 213°

J.E. Hoffey Cwo U.S.N.

APPROVED:

U. S. N. COMMANDING

EXAMINED:

E.B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 24 (Date) OCTOBER (Month), 19 61

08-12 Underway as before. 0819 Made daily inspection of magazine temperatures and smokeless powder samples, conditions normal. 0822 C/C to 200°T. 0827 C/C to 225°T. 0830 commenced streaming target to 3600 feet. 0857 Target is streamed to 3600 feet, towing on the dog. 0903 Commenced scheduled exercise Z-21-G with USS Rowan (DD-782), base course 225°T, speed 7 knots. 0947 C/C to 055°T 1032 Completed scheduled exercise Z-21-G. 1034 C/S to 5 knots (38 RPM). 1053 Commenced scheduled exercise Z-23-G with USS Yunke (DD-783) on course 055° speed 5 knots. 1103 Completed scheduled exercise Z-23-G. 1105 Commenced heaving in target to 600 feet. 1128 Target is at 600 feet towing on the dog. 1132 C/S to 12.3 knots (90 RPM).

E. B. Masch LTJG USNR

12-16 Underway as before. 1205 C/C to 065°T. 1303 C/C to 040°T. 1405 C/C to 075°T. 1426 C/S to 7.7 knots (60 RPM). 1427 Commenced heaving in target to 200 feet. 1430 C/C 050°T. 1432 Set the special sea and anchor detail. 1440 Captain has the Conn, Navigator is on the bridge, making various course and speed changes to conform with the channel and to make berth. 1445 Entered Inland Waters. 1516 Moored port side to berth Alfa Five (A-5) U.S. Naval Station Pearl Harbor Hawaii with four (4) standard mooring lines doubled up. 1520 Secured the special sea and anchor detail.

E. B. Masch LTJG USNR

16-20 Moored as before. 1800 Set material condition yoke. 1815 Mustered the duty fire party, absentees none.

E. B. Masch LTJG USNR

20-24 Moored as before.

E. B. Masch LTJG USNR

APPROVED: [signature] U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE WEDNESDAY (Day) 25 (Date) OCTOBER (Month), 19 61

AT/~~PASSAGE FROM~~ PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05	SEE			FLEET				WEATHER			CENTRAL		
06													
07													
08													
09	PEARL			HARBOR				HAWAII					
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
375

REMARKS

00-04 Moored portside to berth Alfa Five (A-5) U.S. Naval Station Pearl Harbor Hawaii with four (4) standard mooring lines doubled up. Receiving miscellaneous service from the pier. Ships present include various units of the U.S. Pacific Fleet plus yard and district craft. SOPA is CINCPACFLT.

E.B. Masch LTJG USNR

04-08 Moored as before. 0750 Held quarters for muster and inspection absentees none.

E.B. Masch LTJG USNR

APPROVED: [signature] LT U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 25 (Date) OCTOBER (Month), 19 61

08-12 Moored as before. 0815 Made daily inspection of magazines and smokeless powder samples; condition satisfactory.

J. F. Stupp, CWO, USN

12-16 Moored as before.

J. F. Stupp, CWO USN

16-20 Moored as before. 1800 Set material condition Able.

J. F. Stupp, CWO, USN

20-24 Moored as before.

J. F. Stupp, CWO, USN

APPROVED:

[signature] LT U. S. N. COMMANDING

EXAMINED:

E. B. Mayer LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF 96) ZONE DESCRIPTION +10 DATE THURSDAY (Day) 26 (Date) OCTOBER (Month), 1961

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE	FLEET		WEATHER				CENTRAL					
07													
08													
09	PEARL HARBOR, HAWAII												
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
17

FUEL CONSUMED 0000-2400
272

REMARKS

00-04 Moored portside to berth Alpha five (A-5) U.S. Naval Station Pearl Harbor, Hawaii with four (4) standard mooring lines doubled up. Receiving ship's services from the pier. Ship present includes various ships and units of the U.S. Pacific Fleet yard and district craft. COPAC is Commander in Chief U.S. Pacific Fleet.
J. P. Supp, Cdr, USN

04-08 Moored as before. 0430 Commenced preparations for getting underway 0450 Mustered the crew at quarters for muster and inspection; absentees: Rudenbark F. J. 165-45-0092 USN, Yeo. 2nd. 0455 Set the special sea and anchor detail. 0500 Completed all preparations for getting underway. Draft forward 13'0" aft 16'5" 05,5 Underway in accordance with Fleet Weather Order 48-61. Captain has the conn navigator on the bridge. Steering various courses and speeds to conform with Pearl Harbor Channel. 0523 Steamed through Buoy #3 0530 Passed buoy #1 clear

APPROVED: J. P. Supp CDR U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (CATF96) THURSDAY (Day) 26 (Date) OCTOBER (Month), 19 61

04-08 (CONT) to starboard distance apprx. 60 yards. 0536 Passed buoy 3 abeam to starboard distance apprx 125 yards. 0542 Passed buoy 1 abeam to starboard distance apprx 150 yards. 0601 C/C to 205° 195° (PSTGC) C/S to 11.3 knots (60 RPM's). Secured the special sea and anchor detail. Entered International waters. 0630 Exercises for the day cancelled. 0657 C/C to 165° 0704 C/C to 040° 029° (PSTGC). 0727 C/C to 025° 015° (PSTGC). 0740 C/C to 035° 023° (PSTGC). 0748 C/S to 10.1 knots (80 RPM's). 0753 C/C to 050° 037° (PSTGC).

H. P. Clapp, Cmdr USN

08-12: UNDERWAY AS BEFORE. 0801 SET THE SPECIAL SEA AND ANCHOR DETAIL. 0804 CAPTAIN RELIEVED ENS SWAN OF THE CONN. A/STOP; SHIFTED CONTROL TO THE BRIDGE; A/A 80 RPM (10.1 KNOTS). 0807 C/C TO 330°T. 0808 C/S TO 60 RPM (7.7 KNOTS). 0809 C/C TO 325°T 0811 C/C TO 322°T. 0812 ENTERED INLAND WATERS, C/C TO 355°T. 0818 C/C TO 332°T. 0820 MAKING VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 0825 PASSED BOUY #2 ABEAM TO STARBOARD, DISTANCE 125 YARDS. 0847 MOORED PORTSIDE TO BERTH ALFA-FIVE (A-5), U.S. NAVAL STATION, PEARL HARBOR, HAWAII, WITH FOUR (4) STANDARD MOORING LINES DOUBLED-UP. 0852 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. 0910 RYDENBARK, J. L., 965-45-00, YN2, USN, ~~REPORTED~~ RETURNED ON BOARD HAVING BEEN AWOL FROM 0450 THIS DATE. 0915 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

H/S

H. F. Swan, ENS, USNR.

12-16: MOORED AS BEFORE.

H. F. Swan, ENS, USNR.

16-20: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

H. F. Swan, ENS, USNR.

20-24: MOORED AS BEFORE.

H. F. Swan, ENS, USNR.

APPROVED:

U. S. N. COMMANDING

EXAMINED:

E. B. March LTJG

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE FRIDAY 27 OCTOBER, 19 61
(Day) (Date) (Month)

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE		FLEET		WEATHER			CENTRAL					
07													
08													
09													
10	PEARL		HARBOR,		HAWAII								
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
50

FUEL CONSUMED 0000-2400
665

REMARKS

00-04 MOORED PORTSIDE TO BERTH ALFA-FIVE (A-5), U.S. NAVAL STATION, PEARL HARBOR, HAWAII, WITH FOUR (4) STANDARD MOORING LINES DOUBLED-UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS SHIPS AND UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMMANDER-IN-CHIEF, U.S. PACIFIC FLEET.

H V SWAN, ENS, USNR.

04-08: MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS FOR INSPECTION AND INSTRUCTIONS; ABSENTEES: NONE.

H V SWAN, ENS, USNR.

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP HAWKAKI (AFF-96) FRIDAY (Day) 27 (Date) OCTOBER (Month), 19 61

08-12. Moored as before. 0815. Set the special sea and anchor detail. 0828. Underway IAW COMFLT TRAGRU OP ORD 43-61 Captain has the Conn Navigator is on the Bridge Draft Fwd 12'10" Aft 16'6". 0829. Lin on 540 Steel parted. 0831 Making various courses and speed changes to conform with safe maneuvering out of Pearl Harbor Channel. 0837 Commenced Streaming target, target sinking. 0838 Ceased streaming target. 0845 Commenced streaming target. 0852 target streamed to 300 ft. 0907 Energized degaussing system for weekly test. 0908 target streamed to 600 ft on the dog. 0911 Secured special sea and anchor detail. 0913 P/H 90 RPM 11.3 kts. C/C 150°. 0915 C/C 190°. 0916 entered international waters. 0907 C/C 705°. 0935. Made daily inspection of magazine temperature and humidity Power sample Conditions normal 1114 C/C 717°. 1124 C/C 740°. 1128 C/C 222°. 1152 C/C 270°. 1153 C/S 5 kts. Commenced streaming target to 3600 ft. 1158 C/S 6 kts 75 RPM.

J.E. Hoffey, CWO USN.

12-16. Underway as before. 1200 all stopped - target submerged. upside down. 1204 Commenced heaving in target to 200 ft. 1218 C/S 10 RPM 7.2 kts C/S 15 RPM 6.7 kts. 1220 C/S P/B V3 C/S P/B stop. C/S P/B V3. 1222 target is sighted C/S 8 kts C/S 9 kts 71 RPM. 1224 C/C 260°. Relieved by USCGC IRONWOOD (WAGL-297) proceeding to port with target. Steam in steam. 1237 C/C 060. 1243 P/B Standard. 1247 C/S 85 RPM 10.8 kts 1249 C/S 90 RPM 11.3 kts 1250 C/S 85 RPM. 10.8 kts. 1314 P/B 90 RPM 11.3 kts. 1320 C/C 070° 1405 C/C 035°. 1520 C/C 040° 1536 C/C 044° 1545. Attained the special sea and anchor detail. 1553 P/B 65 RPM 8.3 kts 1556 C/C 326°. Entered inland water. 1557 Heard target in at 200 feet C/C 334°. 1559 C/C 336°.

J.E. Hoffey CWO USN.

16-20 Underway as before. Target at 200 feet. 1607 Captain coming navigator on the bridge. Commenced steering various courses and making speed changes to conform with maneuvering to enter Pearl Harbor Channel 1614 Commenced heaving target to fifty feet. 1616 target at fifty feet. 1620 heard target up to Stern of ships 1626. Moored port side to Berth Alfa Five (F-5) U.S. Naval Station Pearl Harbor Hawaii. 1630 Secured special sea detail set regular in port watch. 1640 YTL 15 came along side to tug sled. 1800 All material condition Zebra second deck and below.

J.E. Hoffey CWO USN

20-24. Moored as before

J.E. Hoffey CWO USN.

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: E.B. Masch LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SATURDAY (Day) 28 (Date) OCTOBER (Month), 19 61

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE			FLEET		WEATHER				CENTRAL			
07													
08													
09													
10	PEARL		HARBOR		HAWAII								
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
190

REMARKS

00-04 Moored port side to berth Alfa Point. (7-5) U.S. Naval Station Pearl Harbor, Hawaii with four (4) standard mooring lines doubled up. Receiving miscellaneous services from its pier. Ships present include various units of the U.S. Pacific Fleet Yard and district craft A.O.D.A. in Commander in Chief U.S. Pacific Fleet.

J.E. Hoffy CWO USN

04-08 Moored as before

J.E. Hoffy CWO USN.

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E.B. Marsh LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 28 (Date) OCTOBER (Month), 19 61

08-12 Moored as before. 0800 Mustered the duty section, absentee none. 0915 Made daily inspection of magazine temperature and smokeless powder samples, condition normal.

E.B. Masch LTJG USNR

12-16 Moored as before.

E.B. Masch LTJG USNR

16-20 Moored as before. 1800 Set material condition yoke.

E.B. Masch LTJG USNR

20-24 Moored as before.

E.B. Masch LTJG USNR

APPROVED: [signature] LT U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SUNDAY (Day) 29 (Date) OCTOBER (Month), 19 61

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05		SEE		FLEET				WEATHER			CENTRAL		
06													
07													
08		PEARL		HARBOR				HAWAII					
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
370

REMARKS

00-04 Moored port side to berth alfa Five (A-5) U.S. Naval Station, Pearl Harbor Hawaii with four (4) standard mooring lines doubled up. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet plus yard and district craft. SOPA is COMASW FORPAC.

E.B. Masch LTJG USNR

04-08 Moored as before.

E.B. Masch LTJG USNR

APPROVED: LT. U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 29 (Date) OCTOBER (Month), 19 61

08-12 Moored as before. 0800 Mustered the duty section on stations; absentees: none. 1100 Made daily inspection of magazines and smokeless powder samples; conditions: normal.

J. J. Gupp, CWO, USN

12-16 Moored as before.

J. J. Gupp, CWO, USN

16-20 Moored as before. 1900 Set material condition Zebra. 1830 Mustered the duty fire party.

J. J. Gupp, CWO, USN

20-24 Moored as before.

J. J. Gupp, CWO, USN

APPROVED:

[signature] CT, U. S. N. COMMANDING

EXAMINED:

E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF96) ZONE DESCRIPTION +10 DATE MONDAY (Day) 30 (Date) OCTOBER (Month), 19 61

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06		SEE		FLEET				WEATHER		CENTRAL			
07													
08													
09		PEARL		HARBOR,				HAWAII					
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
70

FUEL CONSUMED 0000-2400
972

REMARKS

00-04 Moored portside to berth Alpha five (A-5), U.S. Naval Base, Pearl Harbor, Hawaii with four (4) standard mooring lines doubled up. Receiving miscellaneous services from the pier. Ships present includes various ships and units of the U.S. Pacific Fleet, yard and district craft. COPAC is Commander in Chief, U.S. Pacific Fleet.

J. J. Gupp, CWO, USN

04-08 Moored as before. 0720 Commenced making preparations for getting underway. 0735 Mustered the crew at quarters for muster and inspection; divers away. 0750 Set the special sea and anchor detail. 0750 Completed all preparations for getting underway. Draft forward 14'0" aft 16'6".

J. J. Gupp, CWO, USN

APPROVED: LT U. S. N. COMMANDING

EXAMINED: E. B. Marsh LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 30 (Date) OCTOBER (Month), 19 61

08-12: MOORED AS BEFORE. Ø8Ø4 UNDERWAY FOR LOCAL OPAREA IN ACCORDANCE WITH COMFLETRAGRU OPORDER 44-61, THE CAPTAIN HAS THE CONN, THE NAVIGATOR IS ON THE BRIDGE, DRAFT FORWARD 13'Ø", AFT 16'6". Ø8Ø5 MAKING VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. VISIBILITY: APPROXIMATELY EIGHT (8) MILES, DUE TO RAIN SQUALL. Ø811 PASSED BOUY #9 ABEAM TO STARBOARD, DISTANCE 15Ø YARDS. Ø817 VISIBILITY NORMAL. Ø82Ø PASSED BOUY #1 ABEAM TO STARBOARD, DISTANCE 125 YARDS. Ø8Ø1 A/STOP, SHIFTED CONTROL TO THE MOTOR ROOM. A/A 75 RPM (9.5 KNOTS). Ø823 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. Ø825 C/S TO 1ØØ RPM (12.3 KNOTS). Ø826 C/C TO 18Ø°T. Ø828 C/C TO 2ØØ °T. Ø829 ENTERED INTERNATIONAL WATERS. Ø83Ø C/C TO 26Ø°T. Ø844 CWO HAFFEY RELIEVED THE CAPTAIN OF THE CONN. Ø845 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. Ø846 C/C TO 265°T, C/S TO 11Ø RPM (13.3 KNOTS). 1ØØ2 C/S TO 97 RPM (12 KNOTS) 1Ø11 C/C TO 285°T. 1Ø15 COMMENCED SCHEDULED EXERCISE (S-2-T) WITH U.S.S CUSK (SS 348) AND USS MCCAIN (DLG-3) 1Ø2Ø C/C TO 154°T. COMMENCED STEAMING IN ACCORDANCE WITH ZIGZAG PLAN 2R (ATP-3), BASE CUS 154°T. 11ØØ C/C TO 22Ø°T, C/S TO 25 RPM (3.3 KNOTS) 1104 C/C TO 18Ø°T, C/S TO 97 RPM (12 KNOTS) 1146 COMMENCED STEAMING IN ACCORDANCE WITH ZIGZAG PLAN 2R (ATP-3), BASE CUS ØØ2°T. 115H LT (JG) MASCH RELIEVED CWO HAFFEY OF THE CONN.

H. L. SWAN, ENS, USNR.

12-16: UNDERWAY AS BEFORE. 1244 SIGHTED EXERCISE TORPEDO WAKE, C/S TO 11Ø RPM (13.3) KNOTS) IN ATTEMPT TO LOCATE TORPEDO. THE CAPTAIN RELIEVED LT (JG) MASCH OF THE CONN. 1246 C/C TO 153°T. 1251 C/S TO 75 RPM (9.6 KNOTS) 1258 LT(JG) MASCH RELIEVED THE CAPTAIN OF THE CONN. 13ØØ C/S TO 97 RPM (12 KNOTS) C/C TO 16Ø°T. 1316 COMMENCED STEAMING IN ACCORDANCE WITH ZIGZAG PLAN 3R (ATP-3), BASE CUS: 327°T. 1353 C/C TO ØØ5°T. 1357 C/C TO 315°T, COMMENCED STEAMING IN ACCORDANCE WITH ZIGZAG PLAN 3R (ATP-3), BASE CUS: ØØ5°T. 1413 SIGHTED EXERCISE TORPEDO WAKE C/S TO 11Ø RPM (13.3 KNOTS) IN ATTEMPT TO SIGHT TORPEDO. CAPTAIN RELIEVED LT (JG) MASCH OF THE CONN. 1414 C/C TO 21Ø°T. 1417 C/S TO 75 RPM (9.6 KNOTS) 142Ø. C/C TO 325°T, C/S TO 1ØØ RPM (12.3 KNOTS). LT (JG) MASCH RELIEVED THE CAPTAIN OF THE CONN. 1429 SECURED FROM SCHEDULED EXERCISE. 1431 SHIP RELEASED TO PROCEED ON DUTY ASSIGNED. 1432 C/S TO 11Ø RPM (13.3 KNOTS). ENS SWAN RELIEVED LT (JG) MASCH OF THE CONN. 1517 C/C TO 112°T. 1533 BARBERS POINT LIGHT BEARS ØØØ°T, C/C TO Ø92°T.

H. L. SWAN, ENS, USNR.

16-2Ø: UNDERWAY AS BEFORE. 16Ø2 C/C TO Ø8Ø°T. 16Ø5 SET THE SPECIAL SEA AND ANCHOR DETAIL. 1613 VISIBILITY REDUCED TO APPROXIMATELY ONE (1) MILE DUE TO RAIN SQUALL. 1618 A/STOP,

APPROVED: [signature] LT U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ (*Day*) (*Date*) (*Month*), 19___

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM _____ (*ZT*) (*Date*)
TO _____ (*ZT*) (*Date*)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 30 (Date) OCTOBER (Month) 19 61

(6-20 CONT.) SHIFTED MOTOR CONTROL TO THE BRIDGE. C/S TO 100 RPM (12.3 KNOTS). CAPTAIN RELIEVED ENS. SWAN OF THE CONN. 1620 ENTERED INLAND WATERS. VISIBILITY INCREASED TO APPROXIMATELY THREE (3) MILES. C/C TO 330°T. 1621 C/S TO 75 RPM (9.6 KNOTS) 1624 C/S TO 50 RPM (6.7 KNOTS) C/C TO 328°T. 1626 MAKING VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 1627 VISIBILITY DECREASED TO APPROXIMATELY 1½ MILES. 1631 PASSED BOUY #2 ABEAM TO STARBOARD. DISTANCE 125 YARDS. 1638 VISIBILITY INCREASED TO APPROXIMATELY 3 MILES. 1641 PASSED BOUY #6 ABEAM TO STARBOARD. DISTANCE 100 YARDS. 1643 ENS SWAN RELIEVED THE CAPTAIN OF THE CONN. 1644 VISIBILITY INCREASED TO APPROXIMATELY FIVE (5) MILES. 1648 MOORED PORTSIDE TO BERTH ALFA-FIVE (A-5), U.S. NAVAL STATION, PEARL HARBOR, HAWAII, WITH FOUR (4) STANDARD MOORING LINES DOUBLED-UP. 1654 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. 1800 SET MATERIAL CONDITION YOKE.

H.N. SWAN, ENS, USNR.

20-24: MOORED AS BEFORE. 2325 VISIBILITY REDUCED TO APPROXIMATELY TWO (2) MILES DUE TO RAIN SQUALLS. LIGHT SWELL FROM THE SOUTH. MODERATE TO HEAVY STRAIN ON MOORING LINES, WIND 20 KNOTS, GUSTS TO 28 KNOTS.

H.N. Swan, ENS, USNR.

APPROVED: LT U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE TUESDAY (Day) 31 (Date) OCTOBER (Month), 19 61

AT/PASSAGE FROM PEARL HARBOR, HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE FLEET WEATHER CENTRAL												
07													
08													
09	PEARL HARBOR HAWAII												
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 165

REMARKS

00-04: MOORED PORTSIDE TO BERTH ALFA-FIVE (A-5), U.S. NAVAL STATION, PEARL HARBOR, HAWAII WITH FOUR (4) STANDARD MOORING LINES DOUBLED-UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS SHIPS AND UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS ~~CINC~~ COMMANDER-IN-CHIEF, U.S. PACIFIC FLEET.

H.H. Swan, ENS, USNR.

04-08: MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS FOR INSPECTION AND INSTRUCTIONS; ABSENTEES: NONE.

H.H. Swan, ENS, USNR.

APPROVED: _____ LT, U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 31 (Date) OCTOBER (Month) 19 61

08-12. Moored as before. 0833 made daily inspection of magazine temperature and smoke pot samples, condition normal. 0953 Bu Pers Representatives came aboard. Cmdr Kurtz and Lt Foley. 1043. Bu Pers Representatives departed.

J E Hoffey Cwo USN

12-16. Moored as before. 1330 The Commanding Officer held mast and imposed non-judicial punishment as follows, RYDENBARK J.L. 965-45-00 FN2 USN. VIOLATION USMJ ART. 86. Awarded Warning.

J E Hoffey Cwo USN

16-20 Moored as before. 1800 Set Material Condition Yoke Second deck and below.

J E Hoffey Cwo USN

20-24. Moored as before

J E Hoffey Cwo USN

APPROVED: [signature] CT U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ (*Day*) (*Date*) (*Month*), 19__

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (*ZT*) (*Date*)

TO _____ (*ZT*) (*Date*)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR